

2025 Douglas County Pre-Approved Mix Designs Concrete

Fly Ash	20% Fly Ash 4,500 p.s.i.							
Strength								
Class	B/D		B/D/P		вм	ΒZ	High Early	
Slump / Type	1-3 (Machine)	3-5 (Hand)	1-3 (Machine)	3-5 (Hand)	1-4 (Median)	5-8 (Hand)	1-3 (Machine)	3-5 (Hand)
Supplier								
Aggregate Industries			<mark>7456101</mark> 9458182	<mark>7456120</mark> <mark>7456123</mark> 7456120G				945671SE
Burnco Concrete	#45C1C1C2C	#451C1C1C4C	#45JC1C4C					
Brannan Ready Mix		#145814R		<mark>245814R</mark>				HE12HR HE24HR
SRM Concrete	#ZCDOT45071- 1	#ZCDOT45070- 1						

Note: High early mixes must be approved by Douglas County Inspections Department prior to their use.

On Demand Concrete Flow-Fill Mix Number QSFF100S

Flash Fill Services Flash Fill Mix # W-100-04/Flash Cap W-100-02 is an approved MGPEC for pavement patching.

Flash Fill Services Flash Fill Mix # W-50-50 Mix # 55-40 These two mixes have slight variations in foam application.

Flash Fill Services Flash Fill Mix # W-100-0004 this mix is non-foam pipe abandonment looks like chocolate milk. Concrete highlighted are the new 2025 mixes.